

**Notice of Allowability**

Application No.

10/813,072

Examiner

Ajay Vasudeva

Applicant(s)

LAMOUREUX ET AL.

Art Unit

3617

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 5/08/2006.
2. ☒ The allowed claim(s) is/are 1-6 and 16-27.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some\* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |                                                                                                                     |                                                                                        |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)                                                    | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance              |
|                                                                                                                     | 9. <input type="checkbox"/> Other _____.                                               |

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Guy Houle on 05/29/2006.

2. The application has been amended as follows:

#### In the Specification

In the amended Specification (filed 9/06/2005)

- In paragraph [00014], on line 7, after "substantially at the water surface 14", -- **and extends forwardly of an upper forward edge of the casing** -- has been inserted.

#### In the Claims

##### In claim 1

- On line 8, after "in a lower forward projecting edge", -- , **said lower forward projecting edge extending forwardly of an upper forward edge of the casing** -- has been inserted.
- On line 14, after "connecting through bore", "**for receiving a bolt fastener**" has been changed to -- **accommodating said fastening means** --.
- On line 15, after "casing thereto, said", "**bolt fastener**" has been changed to -- **fastening means** --.

In claim 4

- On line 3, after “having outwardly”, “**slopping**” has been changed to – **sloping** --.

In claim 16

- On line 8, after “in a lower forward projecting edge”, -- , **said lower forward projecting edge extending forwardly of an upper forward edge of the casing** – has been inserted.
- On line 14, after “and opposed flat parallel surfaces,”, “**and**” has been changed to – **each said connector accommodating a respective one of said fastening means**, --.

In claim 19

On line 3, after “having outwardly”, “**slopping**” has been changed to – **sloping** --.

On line 4, after “gently”, “**slopped**” has been changed to – **sloped** --.

In claim 21

- On line 1, after “as claimed in claim”, “**20**” has been changed to – **19** --.

Art Unit: 3617

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ajay Vasudeva whose telephone number is (571) 272-6689. The examiner can normally be reached on Monday-Friday 12:00 -- 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, S. Joe Morano can be reached on (571) 272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ajay Vasudeva  
Examiner  
Art Unit 3617

  
5/29/06  
AJAY VASUDEVA  
PATENT EXAMINER